

# RIW

# STEERING & SUSPENSION MANUFACTURER



DEVELOPING MORE THAN 500 NEW ITEMS EVERY YEAR

# New Product CATALOG

2021  
December



Ball Joint - Tie Rod End - Axial Joint - Link Stabilizer - Control Arm - Center Rod - Suspension Kit - Bush - Tie Rod Assembly  
Mounting - Steering Bellow - Axle Bellow



/riwautomotive



www.riw.com.tr



### About Us

RIW Otomotiv Dağıtım Sanayi ve Ticaret A.Ş is an organization that produces high quality suspension and steering parts for passenger cars and light commercial vehicles in the automotive aftermarket industr. RIW aims to improve the automotive industry and benefit the country's economy with the target of safely using the vehicle by the end user. As one of the widest range steering and suspension parts manufacturer in the world, production and assembling facilities of RIW contains operations of the following product lines in steering and suspension group for the aftermarket; ball joint, tie rod end, axial joint (inner tie rod), tie rod assembly, link stabilizer, center rot, control arm, wishbone, bush, mount and rubber products.

As a result of wide product range, high product quality, reasonable price and customer-focused studies, RIW takes the first place among the largest spare parts company in Turkey. Through execution of Research and Development in the production of the steering and suspension parts of passenger cars and light commercial vehicles, and at the most advanced and technological conditions, RIW is Turkey's most modern spare parts manufacturer.

The culture of the company takes product quality, technological development and customer satisfaction as the priority; therefore Automotive Aftermarket Industry use RIW brand product with confident. By taking advantage of latest technology machinings in its modern production facility, and also taking employee safety as the main principle in the every stage of the production; from design to production, production to quality, packaging to delivery, marketing to sales RIW has succeeded to be a respectable brand in more than 60 countries worldwide.

### Mission

Providing the latest developed item to the market in high quality as the first in the aftermarket and improving product quality in the every part of the World.

### Vision

Spreading the "RIW Standards" which is made by advanced technology and aftermarket experiences to benefit the whole world.

### Production Strategy

RIW engineers control every stage of the production processes such as product design, mold design, machining, hot and cold forging, aluminum forging, vertical and horizontal arm milling machining, control arm manufacturing, welding, painting, coating and packaging, in its facilities separately. RIW accepts each stage of production as a different unit and advocates the idea that in order to provide the fastest and highest quality product each unit should act as a separate process during its planning for assembling and production. Hence, in this competitive market conditions where it is difficult to reach large capital numbers, RIW invests in the direction of quality control and development.

In contrast to the mindset that every single step in the production is under one roof, RIW ensures that the raw materials and semi-finished products are continuously inspected by experienced engineers and always keeps its quality under control in each stage of the production process. With this system, thanks to the latest technology machinery and test equipment used to apply quality testing at every stage, RIW always offers 100% controlled products to its customers and both minimizes the risk of error to zero and aims to offer competitive prices to the customers by decreasing the product costs.

### Total Quality

RIW that aspires total quality approach has constantly increased its production capacity upon investments and quality works made and has become a preferred brand in the world aftermarket. Acting with the awareness of being a manufacturer of safety components, RIW actively exports its high-quality products to many countries located in Europe, North Africa, Middle East, Australia, North and South America.

At all stages from the start to the end of production, RIW closely monitors and checks the quality of its products and ensures that reliable and high quality products are offered to its customers. All tests and procedures are carried out by highly experienced RIW engineers until they find the right quality to develop the aftermarket industry.

- The codes which has 6 characters are suspension parts (Additional codes are exceptional)
- The codes which has 7 characters are rubber parts (Additional codes are exceptional)
- There is no any specific code for Rod Assembly.
- Rod Assembly codes are the combine of Tie Rod End and Axial Joint.
- Same parts which are used at the different cars might have the same code.

# PE 6 001 J

## Brand

<b>AC</b> ACURA	<b>DC</b> DACIA	<b>IS</b> ISUZU	<b>LE</b> LEYLAND	<b>PE</b> PEUGEOT	<b>SM</b> SMART
<b>AF</b> ALFA ROMEO	<b>DW</b> DAEWOO	<b>IV</b> IVECO	<b>LC</b> LINCOLN	<b>PO</b> PORSCHE	<b>SY</b> SSANGYONG
<b>AU</b> AUDI	<b>DH</b> DAIHATSU	<b>JG</b> JAGUAR	<b>LO</b> LOTUS	<b>PR</b> PROTON	<b>SU</b> SUBARU
<b>BW</b> BMW	<b>DO</b> DODGE	<b>JP</b> JEEP	<b>MZ</b> MAZDA	<b>RE</b> RENAULT	<b>SZ</b> SUZUKI
<b>BU</b> BUICK	<b>FI</b> FIAT	<b>KI</b> KIA	<b>ME</b> MERCEDES	<b>RR</b> ROLLS-ROYCE	<b>TO</b> TOYOTA
<b>CD</b> CADILLAC	<b>FO</b> FORD	<b>LD</b> LADA	<b>MC</b> MINI COOPER	<b>RO</b> ROVER	<b>VA</b> VAUXHALL
<b>CV</b> CHEVROLET	<b>HN</b> HONDA	<b>LR</b> LAND ROVER	<b>MI</b> MITSUBISHI	<b>SA</b> SAAB	<b>VW</b> VOLKSWAGEN
<b>CY</b> CHRYSLER	<b>HY</b> HYUNDAI	<b>LV</b> LDV	<b>NS</b> NISSAN	<b>SE</b> SEAT	<b>VO</b> VOLVO
<b>CI</b> CITROËN	<b>IK</b> IKCO	<b>LX</b> LEXUS	<b>OP</b> OPEL	<b>SK</b> SKODA	

PE

## Product Group

<b>1</b> BALL JOINT	<b>7</b> CENTER ROD & DRAG LINK	<b>23</b> TIE ROD ASSEMBLY
<b>2</b> TIE ROD END	<b>8</b> SUSPENSION KITS	<b>12</b> MOUNTING & RUBBER SUPPORT
<b>3</b> AXIAL JOINT (INNER TIE ROD)	<b>9</b> REAR WISHBONE AND CONTROL ARM	<b>128</b> MOUNTING or RUBBER SUPPORT KIT
<b>4</b> LINK STABILIZER	<b>10</b> BUSH	<b>13</b> BELLOWS STEERING
<b>5</b> CONTROL ARM	<b>11</b> BUSH	<b>14</b> BELLOWS DRIVE SHAFT
<b>6</b> WISHBONE	<b>118</b> REPAIR & BUSH KIT	

6

## Numbers

001 Any Number ■

## Option

### ADDITIONALS CODES AND MEANINGS

<b>K</b> K FOR BALL JOINTS	<b>B</b> B FOR WISHBONE and CONTROL ARMS
VW1012K 1 = BALL JOINT K = WITH EXTRA ACCESSORIES	BW5005B 5 = CONTROL ARM B = WITHOUT BUSHING
VW1012 1 = BALL JOINT	BW5005 5 = CONTROL ARM (The similar as OE part)
<b>J</b> J FOR WISHBONES	<b>K</b> K FOR MOUNTINGS (RUBBER PARTS)
PE6001J 6 = WISHBONE J = WITHOUT BALL JOINT	CV12005K 12 = MOUNTING K = KIT, 2 PIECES or WITH EXTRA ACCESSORIES
PE6001 6 = WISHBONE (The similar as the OE part)	CV12005 12 = MOUNTING (The similar as OE part)
<b>K</b> K FOR WISHBONES or CONTROL ARMS (5,6 or 9)	<b>A</b> THE PRODUCT HAS DIFFERENT OPTION
BW6005K 6 = WISHBONE K = WITH EXTRA ACCESSORIES	FO4030A 4 = LINK STABILIZER A = OPTION (metal, rubber), plastic etc)
BW6005 6 = WISHBONE	FO4030 4 = LINK STABILIZER (The similar as OE part)

J

## TABLE OF CONTENTS

<b>MAKE</b>	<b>PAGE</b>
AUDI	6 / 7
BMW	8 / 9
CHEVROLET	10 / 11
DAEWOO	12 / 13
DODGE	14 / 15
FORD	16 / 23
RAM	24 / 25
SEAT	26 / 27
SKODA	28 / 30
STERLING	31 / 32
VOLKSWAGEN	33 / 37


**RIW<sup>®</sup>**

**AUDI**


\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**A1 8X 2010 - 2019**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J


**A3 8V1 2012 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**TT FV3 2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**TT ROADSTER FV9 2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**RIW<sup>®</sup>**

**BMW**

**5 SERIES F07, F10, F11 2010 - 2016**

Image	Product Code and Description	Details	OEM
	<b>BW12029</b> ENGINE MOUNTING RH	Weight : 1,000 kg / 2.205 lb	22116780264, 22116851264 22117935142

**6 SERIES F12, F13 2011 - 2018**

Image	Product Code and Description	Details	OEM
	<b>BW12029</b> ENGINE MOUNTING RH	Weight : 1,000 kg / 2.205 lb	22116780264, 22116851264 22117935142

**7 SERIES F01, F02, F03, F04 2008 - 2016**

Image	Product Code and Description	Details	OEM
	<b>BW12029</b> ENGINE MOUNTING RH	Weight : 1,000 kg / 2.205 lb	22116780264, 22116851264 22117935142

**M5 F07, F10, F11 2010 - 2016**

Image	Product Code and Description	Details	OEM
	<b>BW12029</b> ENGINE MOUNTING RH	Weight : 1,000 kg / 2.205 lb	22116780264, 22116851264 22117935142

**M6 F12, F13 2011 - 2018**

Image	Product Code and Description	Details	OEM
	<b>BW12029</b> ENGINE MOUNTING RH	Weight : 1,000 kg / 2.205 lb	22116780264, 22116851264 22117935142

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**RIW<sup>®</sup>**

**CHEVROLET**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**CRUZE II 2016 -**

Image	Product Code and Description	Details	OEM
	<b>CV12023</b> ENGINE MOUNTING	Weight : 1,400 kg / 3.086 lb	13248493

**LACETTI J200 2003 - 2012**

Image	Product Code and Description	Details	OEM
	<b>DW12002</b> TOP STRUT MOUNTING	Weight : 0,600 kg / 1.323 lb	96312548, 96457360

**NUBIRA 2003 - 2009**

Image	Product Code and Description	Details	OEM
	<b>DW12002</b> TOP STRUT MOUNTING	Weight : 0,600 kg / 1.323 lb	96312548, 96457360

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**RIW<sup>®</sup>**

**DAEWOO**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**LACETTI****2004 - 2012**

Image	Product Code and Description	Details	OEM
	<b>DW12002</b> TOP STRUT MOUNTING	Weight : 0,600 kg / 1.323 lb	96312548, 96457360

**NUBIRA****II****2003 - 2009**

Image	Product Code and Description	Details	OEM
	<b>DW12002</b> TOP STRUT MOUNTING	Weight : 0,600 kg / 1.323 lb	96312548, 96457360


**RIW<sup>®</sup>**

**DODGE**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**RAM 2500**
**1994 - 2002**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**RAM 3500**
**1994 - 2002**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**RAM 3500**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

**RAM 4500**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

**RAM 5500**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA


\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**RIW<sup>®</sup>**

**FORD**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**BRONCO III 1980 - 1986**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A





**BRONCO IV 1987 - 1991**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**BRONCO V 1992 - 1996**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**EXCURSION 2000 - 2005**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO2090</b> TIE ROD END	Weight : 1,350 kg / 2.976 lb Length : 205 mm / 8.07 inch	8C3Z3304G, AC3Z3304N F81A3B406BA, F81Z3304BA
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**F-150**
**1980 - 1986**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-150**
**1987 - 1991**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-150**
**1992 - 1996**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-250**
**1980 - 1986**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-250**
**1987 - 1991**


Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-250**
**1992 - 1997**




Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.


**F-250**
**1997 - 1999**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A



**F-250 SUPER DUTY**
**1999 - 2007**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO2090</b> TIE ROD END	Weight : 1,350 kg / 2.976 lb Length : 205 mm / 8.07 inch	8C3Z3304G, AC3Z3304N F81A3B406BA, F81Z3304BA
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA

**F-250 SUPER DUTY**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA




**F-250 SUPER DUTY**
**2011 - 2016**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**F-250 SUPER DUTY**
**2017 -**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-350**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-350**
**2011 - 2016**




Image	Product Code and Description	Details	OEM
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-350 SUPER DUTY**
**1999 - 2007**




Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.




**F-350 SUPER DUTY**
**1999 - 2007**

Image	Product Code and Description	Details	OEM
	<b>FO2090</b> TIE ROD END	Weight : 1,350 kg / 2.976 lb Length : 205 mm / 8.07 inch	8C3Z3304G, AC3Z3304N F81A3B406BA, F81Z3304BA
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-350 SUPER DUTY**
**2008 - 2010**




Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-350 SUPER DUTY**
**2011 - 2016**



Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**F-350 SUPER DUTY**
**2017 -**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO4087</b> LINK STABILIZER FRONT	Weight : 0,540 kg / 1.190 lb Material Type : Metal Length : 174 mm / 6.85 inch	E69Z5A486A, F81Z5K483AA YC3Z5K483AA
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-450 SUPER DUTY**
**1999 - 2007**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO2090</b> TIE ROD END	Weight : 1,350 kg / 2.976 lb Length : 205 mm / 8.07 inch	8C3Z3304G, AC3Z3304N F81A3B406BA, F81Z3304BA

**F-450 SUPER DUTY**
**2008 - 2010**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-450 SUPER DUTY**
**2011 - 2016**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A

**F-450 SUPER DUTY**
**2017 -**

Image	Product Code and Description	Details	OEM
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**F-550 SUPER DUTY**
**1999 - 2007**

Image	Product Code and Description	Details	OEM
	<b>FO1057</b> BALL JOINT FRONT UPPER	Weight : 0,550 kg / 1.213 lb Cone Size [mm] : Ø19,45 Ball Pin Thread Size : 3/4-16 UNF Ball Joint Body Diameter : Ø44,4	4746813, 4796453 4C3Z3049DA, 4C3Z3049DB 5C3Z3049AB, 8C3Z3049A BC3Z3049B, E0TZ3049A F3TZ3049A
	<b>FO2090</b> TIE ROD END	Weight : 1,350 kg / 2.976 lb Length : 205 mm / 8.07 inch	8C3Z3304G, AC3Z3304N F81A3B406BA, F81Z3304BA

**F-550 SUPER DUTY**
**2017 -**

Image	Product Code and Description	Details	OEM
	<b>FO4088</b> LINK STABILIZER REAR	Material Type : Metal Length : 199 mm / 7.83 inch	F81Z5K484BA

**RIW<sup>®</sup>**

**RAM**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**3500**

**2011 - 2013**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

**4500**

**2011 - 2013**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

**5500**

**2011 - 2013**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



**RIW<sup>®</sup>**

**SEAT**


**IBIZA IV 6L1 2002 - 2009**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J
	<b>SE12002</b> ENGINE MOUNTING	Weight : 1,100 kg / 2.425 lb	6C0199851


**IBIZA V 6R 2008 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J
	<b>SE12002</b> ENGINE MOUNTING	Weight : 1,100 kg / 2.425 lb	6C0199851

**LEON 5F1 2012 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**TOLEDO IV KG3 2012 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**RIW<sup>®</sup>**

**SKODA**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.


**FABIA III ESTATE NJ5 2014 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J
	<b>SE12002</b> ENGINE MOUNTING	Weight : 1,100 kg / 2.425 lb	6C0199851

**FABIA III NJ3 2014 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J
	<b>SE12002</b> ENGINE MOUNTING	Weight : 1,100 kg / 2.425 lb	6C0199851


**KAROQ NU7 2017 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**KODIAQ NS7 2016 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**OCTAVIA COMBI III COMBI 5E5 2012 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.


**RAPID NH3 2012 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J

**RAPID SPACEBACK NH1 2012 -**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J

**SUPERB III 3V3 2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**SUPERB III ESTATE 3V5 2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**RIW<sup>®</sup>**

**STERLING**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**BULLET 45****2007 - 2009**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA

**BULLET 55****2007 - 2009**

Image	Product Code and Description	Details	OEM
	<b>DO4018</b> LINK STABILIZER FRONT	Material Type : Metal Length : 240 mm / 9.45 inch	68005460AA, 68235278AA



**RIW®**


**VOLKSWAGEN**

\* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

**ARTEON 3H7 2017 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q


**GOLF VII MK7, MQB 2012 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**PASSAT VII 3G2 2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q


**POLO V 6R 2009 - 2017**

Image	Product Code and Description	Details	OEM
	<b>SE12001</b> ENGINE MOUNTING	Weight : 1,360 kg / 2.998 lb	6C0199851J
	<b>SE12002</b> ENGINE MOUNTING	Weight : 1,100 kg / 2.425 lb	6C0199851

**TIGUAN AD1 2016 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**TOURAN****5T1****2015 -**

Image	Product Code and Description	Details	OEM
	<b>AU12026</b> ENGINE MOUNTING	Weight : 0,850 kg / 1.874 lb	5Q0199855AD, 5Q0199855J 5Q0199855P, 5Q0199855Q

**RIW<sup>®</sup>**

**NOTES**

Product Code	Additional Information
<b>AU12026</b> ENGINE MOUNTING	AUDI A3 : 1.6 TDI - 2.0 TDI / AUDI TT : 1.8 TFSI - 2.0 TFSI / SEAT LEON: PDT - PFL - PFN / VW GOLF VII AND TOURAN : 1.4 TSI - 1.6 TDI - 2.0 TSI - 2.0 TDI / VW TOURAN : 1.6 TDI - 2.0 TDI / SEAT ATECA : 1,0 TSI - 1,6 TDI - 2,0 TDI /
<b>BW12029</b> ENGINE MOUNTING RH	750i - 750Li S - 650i - M6 S63N - 520d - 550i - 518d - 520d - 525d - 550i - M5 S63N
<b>CV12023</b> ENGINE MOUNTING	1,8 L
<b>FO1057</b> BALL JOINT FRONT UPPER	4WD / DODGE RAM 2500 YEARS ONLY: 1999-2004 / DODGE RAM 3500 YEARS ONLY: 1999-2004 / FORD F-550 SUPER DUTY YEARS ONLY: 1999-2004
<b>FO2090</b> TIE ROD END	4WD / FORD F-350 SUPER DUTY YEARS ONLY: 1999-2004 / F-450 SUPER DUTY YEARS ONLY: 1999-2002 / F-550 SUPER DUTY YEARS ONLY: 1999-2002
<b>FO4087</b> LINK STABILIZER FRONT	RWD
<b>FO4088</b> LINK STABILIZER REAR	FORD EXCURSION YEARS ONLY: 2003-2005 / FORD F-450 SUPER DUTY YEARS ONLY: 1999-2004
<b>SE12001</b> ENGINE MOUNTING	AUDI A1 YEARS ONLY: 2014-2018 / SEAT IBIZA ONLY: IV 2015-2017 / 1,4 TDI / VOLKSWAGEN POLO YEARS ONLY: 2014 -
<b>SE12002</b> ENGINE MOUNTING	SEAT IBIZA ONLY: IV 2015 -2017 / VOLKSWAGEN POLO YEARS ONLY: 2014 -

# STEERING & SUSPENSION MANUFACTURER

# RIW

[www.riw.com.tr](http://www.riw.com.tr)

## Warehouse

120 Doncaster Ave Thornhill  
(Toronto Area) L3T 1L3  
ONTARIO, CANADA  
Phone: +1 855 RIWCAN-1  
Phone: 647-689-3889  
Email: [toronto@riw.com.tr](mailto:toronto@riw.com.tr)

## Headquarters

Bahçekapı Mahallesi 2552. Sok.  
No:4 Şaşmaz Etimesgut 06105  
ANKARA, TURKIYE  
Phone: +90 312 278 5367  
Fax: +90 312 278 5366  
Email: [info@riw.com.tr](mailto:info@riw.com.tr)

## Factory

Ferhatpaşa Mahallesi Aytaşı Sok.  
No:112-112A Ataşehir 34888  
İSTANBUL, TURKIYE  
Phone: +90 216 471 2919  
Fax: +90 216 660 1647  
Email: [info@riw.com.tr](mailto:info@riw.com.tr)