

RIW

STEERING & SUSPENSION MANUFACTURER



SATURN PRODUCT CATALOG



Products

- Ball Joint
- Tie Rod End
- Axial Joint
- Link Stabilizer
- Control Arm
- Center Rod
- Stabilizer Mounting
- Suspension Kit
- Bush
- Tie Rod Assembly
- Mounting
- Steering Bellow
- Axle Bellow

autocare[™]
ASSOCIATION



About Us

RIW is an organization that produces high quality suspension and steering parts for passenger cars and light commercial vehicles in the automotive aftermarket industry. RIW aims to improve the automotive industry and benefit the country's economy with the target of safely using the vehicle by the end user. As one of the widest range steering and suspension parts manufacturer in the world, production and assembling facilities of RIW contains operations of the following product lines in steering and suspension group for the aftermarket; ball joint, tie rod end, axial joint (inner tie rod), tie rod assembly, link stabilizer, center rot, control arm, wishbone, bush, mount and rubber products. As a result of wide product range, high product quality, reasonable price and customer-focused studies, RIW takes the first place among the largest spare parts company in Turkey. Through execution of Research and Development in the production of the steering and suspension parts of passenger cars and light commercial vehicles, and at the most advanced and technological conditions, RIW is Turkey's most modern spare parts manufacturer.

The culture of the company takes product quality, technological development and customer satisfaction as the priority; therefore Automotive Aftermarket Industry use RIW brand product with confident. By taking advantage of latest technology machining's in its modern production facility, and also taking employee safety as the main principle in the every stage of the production; from design to production, production to quality, packaging to delivery, marketing to sales RIW has succeeded to be a respectable brand in more than 60 countries worldwide.

Mission

Providing the latest developed item to the market in high quality as the first in the aftermarket and improving product quality in the every part of the World.

Vision

Spreading the "RIW Standards" which is made by advanced technology and aftermarket experiences to benefit the whole world.

Production Strategy

RIW engineers control every stage of the production processes such as product design, mold design, machining, hot and cold forging, aluminum forging, vertical and horizontal arm milling machining, control arm manufacturing, welding, painting, coating and packaging, in its facilities separately. RIW accepts each stage of production as a different unit and advocates the idea that in order to provide the fastest and highest quality product each unit should act as a separate process during its planning for assembling and production. Hence, in this competitive market conditions where it is difficult to reach large capital numbers, RIW invests in the direction of quality control and development.

In contrast to the mindset that every single step in the production is under one roof, RIW ensures that the raw materials and semi-finished products are continuously inspected by experienced engineers and always keeps its quality under control in each stage of the production process. With this system, thanks to the latest technology machinery and test equipment used to apply quality testing at every stage, RIW always offers 100% controlled products to its customers and both minimizes the risk of error to zero and aims to offer competitive prices to the customers by decreasing the product costs.

Total Quality

RIW that aspires total quality approach has constantly increased its production capacity upon investments and quality works made and has become a preferred brand in the world aftermarket. Acting with the awareness of being a manufacturer of safety components, RIW actively exports its high-quality products too many countries located in Europe, North Africa, Middle East, Australia, North and South America.

At all stages from the start to the end of production, RIW closely monitors and checks the quality of its products and ensures that reliable and high quality products are offered to its customers. All tests and procedures are carried out by highly experienced RIW engineers until they find the right quality to develop the aftermarket industry.

- The codes which has 6 characters are suspension parts (Additional codes are exceptional)
- The codes which has 7 characters are rubber parts (Additional codes are exceptional)
- There is no any specific code for Rod Assembly.
- Rod Assembly codes are the combine of Tie Rod End and Axial Joint.
- Same parts which are used at the different cars might have the same code.

PE 6 001 J

Brand

AC ACURA	DC DACIA	IS ISUZU	LE LEYLAND	PE PEUGEOT	SM SMART
AF ALFA ROMEO	DW DAEWOO	IV IVECO	LC LINCOLN	PO PORSCHE	SY SSANGYONG
AU AUDI	DH DAIHATSU	JG JAGUAR	LO LOTUS	PR PROTON	SU SUBARU
BW BMW	DO DODGE	JP JEEP	MZ MAZDA	RE RENAULT	SZ SUZUKI
BU BUICK	FI FIAT	KI KIA	ME MERCEDES	RR ROLLS-ROYCE	TO TOYOTA
CD CADILLAC	FO FORD	LD LADA	MC MINI COOPER	RO ROVER	VA VAUXHALL
CV CHEVROLET	HN HONDA	LR LAND ROVER	MI MITSUBISHI	SA SAAB	VW VOLKSWAGEN
CY CHRYSLER	HY HYUNDAI	LV LDV	NS NISSAN	SE SEAT	VO VOLVO
CI CITROËN	IK IKCO	LX LEXUS	OP OPEL	SK SKODA	

Product Group

1 BALL JOINT	7 CENTER ROD & DRAG LINK	23 TIE ROD ASSEMBLY
2 TIE ROD END	8 SUSPENSION KITS	12 MOUNTING & RUBBER SUPPORT
3 AXIAL JOINT (INNER TIE ROD)	9 REAR WISHBONE AND CONTROL ARM	128 MOUNTING or RUBBER SUPPORT KIT
4 LINK STABILIZER	10 BUSH	13 BELLOW STEERING
5 CONTROL ARM	11 BUSH	14 BELLOW DRIVE SHAFT
6 WISHBONE	118 REPAIR & BUSH KIT	

Numbers

001 Any Number ■

Option

ADDITIONALS CODES AND MEANINGS

K K FOR BALL JOINTS	B B FOR WISHBONE and CONTROL ARMS
VW1012K 1 = BALL JOINT K = WITH EXTRA ACCESSORIES	BW5005B 5 = CONTROL ARM B = WITHOUT BUSHING
VW1012 1 = BALL JOINT	BW5005 5 = CONTROL ARM (The similar as OE part)
J J FOR WISHBONES	K K FOR MOUNTINGS (RUBBER PARTS)
PE6001J 6 = WISHBONE J = WITHOUT BALL JOINT	CV12005K 12 = MOUNTING K = KIT, 2 PIECES or WITH EXTRA ACCESSORIES
PE6001 6 = WISHBONE (The similar as the OE part)	CV12005 12 = MOUNTING (The similar as OE part)
K K FOR WISHBONES or CONTROL ARMS (5,6 or 9)	A THE PRODUCT HAS DIFFERENT OPTION
BW6005K 6 = WISHBONE K = WITH EXTRA ACCESSORIES	FO4030A 4 = LINK STABILIZER A = OPTION (metal, rubber), plastic etc)
BW6005 6 = WISHBONE	FO4030 4 = LINK STABILIZER (The similar as OE part)



SATURN

ASTRA
H
2008 - 2009

Image	Product Code and Description	Details	OEM
	OP1524 BALL JOINT FRONT LOWER	Weight : 0,42 kg / 0.926 lb Connection Hole Diameter : Ø8,5	352800, 352829 352830, 4835740 5231683, 90512982
	OP2014A TIE ROD END	Weight : 0,447 kg / 0.985 lb Length : 135 mm / 5.31 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,5 Ball Pin Cone Diameter : Ø13,5	1603215, 9118127
	OP2015 TIE ROD END RH	Weight : 0,339 kg / 0.747 lb Length : 140 mm / 5.51 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,5 Ball Pin Cone Diameter : Ø13,5	1603257, 1603267 1603288, 93179558 93181233
	OP2016 TIE ROD END LH	Weight : 0,339 kg / 0.747 lb Length : 140 mm / 5.51 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,5 Ball Pin Cone Diameter : Ø13,5	1603258, 1603266 1603289, 93179559 93181232
	OP3010 AXIAL JOINT	Weight : 0,574 kg / 1.265 lb Length : 277 mm / 10.91 inch Body Thread Size : M18X1,5 Ball Pin Thread Size : M14X1,5	1603213, 1603216 1603256, 9118128
	OP3011 AXIAL JOINT	Weight : 0,53 kg / 1.168 lb Length : 274 mm / 10.79 inch Body Thread Size : M16X1,5 Ball Pin Thread Size : M14X1,5	1603264, 1603265 1603357, 1603358 1603359, 93181229 93181230, 93189668
	OP2014A3010 TIE ROD ASSEMBLY	Weight : 1.106 kg / 2.438 lb Tie Rod End : OP2014A Axial Joint : OP3010	1603213, 1603215
	OP4005 LINK STABILIZER FRONT	Weight : 0,321 kg / 0.708 lb Material Type : Plastic Length : 300 mm / 11.81 inch Ball Pin Thread Size : M12X1,5	350611, 350614 90498745
	OP4005D LINK STABILIZER FRONT	Weight : 0,402 kg / 0.886 lb Material Type : Çelik Length : 300 mm / 11.81 inch Ball Pin Thread Size : M12X1,5	350611, 350614 90498745
	OP4006 LINK STABILIZER FRONT	Weight : 0,469 kg / 1.034 lb Material Type : Çelik Length : 300 mm / 11.81 inch Ball Pin Thread Size : M12X1,5	24461353, 350613
	OP6023 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Weight : 3,26 kg / 7.187 lb Material Type : Sheet Metal	24454478, 352030 5352004, 5352030 90496040

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

ASTRA
H
2008 - 2009

Image	Product Code and Description	Details	OEM
	OP6023J CONTROL ARM (WITHOUT BALL JOINT) FRONT LOWER	Weight : 2,695 kg / 5.941 lb Material Type : Sheet Metal	24454477, 24454478 352029, 352030 5352004, 90496040
	OP6024 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Weight : 3,35 kg / 7.385 lb Material Type : Sheet Metal	24454477, 352029 5352004, 5352029 90496040
	OP11039 BUSH FOR WISHBONE BIG	Position : Left And Right Weight : 0,26 kg / 0.573 lb	24439582, 352324
	OP12022 STRUT MOUNTING	Position : Left And Right Weight : 0.81 kg / 1.786 lb Note : AMORTİSÖR TAKOZU	344543, 9231097
	OP12084 ENGINE MOUNTING	Position : Left And Right Weight : 1,032 kg / 2.275 lb Note : MOTOR TAKOZU	05684 137, 24459803 5684137
	OP12100 ENGINE MOUNTING	Position : Left And Right Weight : 0,982 kg / 2.165 lb Note : MOTOR TAKOZU	13159994, 5684652

AURA
2007 - 2009

Image	Product Code and Description	Details	OEM
	CV2030 TIE ROD END	Weight : 0,584 kg / 1.287 lb Length : 240 mm / 9.45 inch	15944090, 22687089
	CV3034 AXIAL JOINT	Weight : 0,595 kg / 1.312 lb Length : 280 mm / 11.02 inch	15267582, 15944072 15944097, 19256420 20995477, 22687091
	CV4029 LINK STABILIZER FRONT	Weight : 0,381 kg / 0.840 lb Material Type : Çelik Length : 298 mm / 11.73 inch Ball Pin Thread Size : M12X1,75	15782690, 20784686 22608427, 22670300 22710286, 227610286 25846008
	CV6029 CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	Weight : 2.386 kg / 5.260 lb Material Type : Aluminum	15292910, 15292911 22730775, 22730776 520163, 88966975

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

AURA
2007 - 2009

Image	Product Code and Description	Details	OEM
	CV6030 CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	Weight : 2.386 kg / 5.260 lb Material Type : Aluminum	15292910, 15292911 22730775, 22730776 520164, 88966974
	CV9004 CONTROL ARM REAR LOWER RH	Weight : 2,078 kg / 4.581 lb Material Type : Sheet Metal	15292403
	CV9005 CONTROL ARM REAR LOWER LH	Weight : 2,078 kg / 4.581 lb Material Type : Sheet Metal	15292404
	CV9008 CONTROL ARM REAR	Weight : 1,060 kg / 2.337 lb Material Type : Sheet Metal	22632901, 25850210
	CV9009 CONTROL ARM REAR UPPER	Weight : 1,900 kg / 4.189 lb Material Type : Sheet Metal	10384438, 20881094 22675228, 25850211
	CV12078 STRUT MOUNTING FRONT RH	Chassis (Front / Rear) : Front Position : Right Other Side : CV12079 Weight : 1,315 kg / 2.899 lb	15836874
	CV12079 STRUT MOUNTING FRONT LH	Chassis (Front / Rear) : Front Position : Left Other Side : CV12078 Weight : 1,315 kg / 2.899 lb	15836873

ION
2005 - 2007

Image	Product Code and Description	Details	OEM
	CV1027 BALL JOINT FRONT LOWER	Weight : 0,656 kg / 1.446 lb	15240086, 15240089 15240092, 15240093 15803768, 15803769 19207818, 19207819 25984680, 25984681
	CV2027 TIE ROD END	Weight : 0,618 kg / 1.362 lb Length : 105,5 mm / 4.15 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,75 Ball Pin Cone Diameter : Ø12,2	15140337, 15220347 19149840, 22664783 22684863, 22729240 25937432, 25956927
	CV3040 AXIAL JOINT	Weight : 0,550 kg / 1.213 lb Length : 320 mm / 12.60 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M14X1,5	15788998, 15796812 15802532, 15802533 15816430, 22680652 25956914, 25956915 25956924, 25956925

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

ION
2005 - 2007

Image	Product Code and Description	Details	OEM
	CV4029 LINK STABILIZER FRONT	Weight : 0,381 kg / 0.840 lb Material Type : Çelik Length : 298 mm / 11.73 inch Ball Pin Thread Size : M12X1,75	15782690, 20784686 22608427, 22670300 22710286, 227610286 25846008
	CV6050 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Weight : 3.874 kg / 8.541 lb Material Type : Sheet Metal	15240086, 15240093 15803769, 19207818 25984681
	CV6050J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER RH	Weight : 3,200 kg / 7.055 lb Material Type : Sheet Metal	15240086, 15240093 15803769, 19207818 25984681
	CV6051 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Weight : 3.874 kg / 8.541 lb Material Type : Sheet Metal	15240089, 15240092 15803768, 19207819 25984680
	CV6051J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER LH	Weight : 3,200 kg / 7.055 lb Material Type : Sheet Metal	15240089, 15240092 15803768, 19207819 25984680
	CV11035 BUSH FOR CONTROL ARM FRONT LOWER	Chassis (Front / Rear) : Front Position : Front Lower Weight : 0.264 kg / 0.582 lb	15787555*, 15787556*
	CV11036 BUSH FOR CONTROL ARM FRONT LOWER	Chassis (Front / Rear) : Front Position : Front Lower Weight : 0.194 kg / 0.428 lb	15787555*, 15787556*
	CV12063 TRANSMISSION MOUNTING	Weight : 0.929 kg / 2.048 lb	15940092, 22731274 25973870

L SERIES
2000 - 2005

Image	Product Code and Description	Details	OEM
	OP4030 LINK STABILIZER REAR	Weight : 0,156 kg / 0.344 lb Material Type : Çelik Length : 80 mm / 3.15 inch	13104120, 444291 4565859, 4906111 5451602, 90496711

OUTLOOK
2007 - 2010

Image	Product Code and Description	Details	OEM
	CV1010 BALL JOINT FRONT LOWER	Weight : 0,674 kg / 1.486 lb	15863690, 19207521
	CV2016 TIE ROD END	Weight : 0,69 kg / 1.521 lb	15869897, 18569897
	CV3012 AXIAL JOINT	Weight : 0,75 kg / 1.653 lb Length : 302 mm / 11.89 inch Body Thread Size : M18X1,5 Ball Pin Thread Size : M16X1,5	15869898, 20817752
	CV4014 LINK STABILIZER FRONT	Weight : 0,497 kg / 1.096 lb Material Type : Çelik Length : 354,5 mm / 13.96 inch	20905104
	CV4032 LINK STABILIZER REAR	Weight : 0,35 kg / 0.772 lb Material Type : Bolt Type	15129234
	CV6025 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Weight : 4,638 kg / 10.225 lb Material Type : Sheet Metal	20774419, 25798011 522040, CB90424
	CV6025K WISHBONE (WITH BALL JOINT AND BIG BUSH) FRONT LOWER RH	Weight : 6,45 kg / 14.220 lb Material Type : Sheet Metal	20774419, 25798011
	CV6026 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Weight : 4,638 kg / 10.225 lb Material Type : Sheet Metal	25798012, 25995438
	CV6026K WISHBONE (WITH BALL JOINT AND BIG BUSH) FRONT LOWER LH	Weight : 6,45 kg / 14.220 lb Material Type : Sheet Metal	25798012, 25995438
	CV9002 TRACK CONTROL ARM REAR UPPER	Weight : 1,129 kg / 2.489 lb Material Type : Forged Steel	15148024, 522376 CA90925
	CV9003 TRACK CONTROL ARM REAR LOWER	Weight : 1,96 kg / 4.321 lb Material Type : Forged Steel	23347601, 23461856 25835026, 522868

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

OUTLOOK
2007 - 2010

Image	Product Code and Description	Details	OEM
	CV10001 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Left And Right Weight : 0,505 kg / 1.113 lb Note : Bearing Bush	15148024, 15148024-P
	CV11026 BUSH FOR CONTROL ARM REAR LOWER	Chassis (Front / Rear) : Rear Position : Lower Left And Right Weight : 0,18 kg / 0.397 lb	23461856*, part of 23461856
	CV11027 BUSH FOR CONTROL ARM REAR UPPER	Chassis (Front / Rear) : Rear Position : Upper Left And Right Weight : 0,22 kg / 0.485 lb	15148024*, part of 15148024

RELAY
2005 - 2007

Image	Product Code and Description	Details	OEM
	BU1001 BALL JOINT REAR UPPER	Weight : 0,615 kg / 1.356 lb	10389073, 10412907 15232842, 25795978 25795979
	CV1005 BALL JOINT FRONT LOWER	Weight : 0,76 kg / 1.676 lb Cone Size [mm] : Ø15 Connection Hole Diameter : Ø10,5 Ball Pin Thread Size : M12X1,5	96852964, C96852964
	BU2004 TIE ROD END REAR OUTER	Weight : 0,670 kg / 1.477 lb Length : 160 mm / 6.30 inch	10412911*, 15232854* 88879501
	CV2024 TIE ROD END	Weight : 0,618 kg / 1.362 lb	26055104, 26086073 89047756
	BU3004 AXIAL JOINT REAR	Weight : 0,680 kg / 1.499 lb Length : 317,2 mm / 12.49 inch	10412911*, 15232854* 19298748*
	CV3029 AXIAL JOINT	Weight : 0,637 kg / 1.404 lb Length : 325 mm / 12.80 inch Body Thread Size : M18X1,5 Ball Pin Thread Size : M14X1,5	15221006, 21011026
	BU20043004 TIE ROD ASSEMBLY	Weight : 1,350 kg / 2.976 lb Tie Rod End : BU2004 Axial Joint : BU3004	10412911, 15232854

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

RELAY
2005 - 2007

Image	Product Code and Description	Details	OEM
	CV4015 LINK STABILIZER FRONT	Weight : 0,542 kg / 1.195 lb Material Type : Çelik Length : 365 mm / 14.37 inch Ball Pin Thread Size : M10X1,5	15851956
	CV4024 LINK STABILIZER FRONT	Weight : 0,165 kg / 0.364 lb Material Type : Bolt Type	10285683, 10403402
	BU6001 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Weight : 3,710 kg / 8.179 lb Material Type : Sheet Metal	10318098, 10402116 10413384, 10413557 521640
	BU6001J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER RH	Weight : 2,950 kg / 6.504 lb Material Type : Sheet Metal	10318098, 10402116 10413384, 10413557 521640
	BU6002 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Weight : 3,710 kg / 8.179 lb Material Type : Sheet Metal	10318097, 10413383 10413556, 521639
	BU6002J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER LH	Weight : 2,950 kg / 6.504 lb Material Type : Sheet Metal	10318097, 10413383 10413556, 521639
	BU6005 CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	Weight : 3,730 kg / 8.223 lb Material Type : Sheet Metal	15176607, 15218622
	BU6005J CONTROL ARM (WITHOUT BALL JOINT) FRONT LOWER RH	Weight : 2,980 kg / 6.570 lb Material Type : Sheet Metal	15176607*, 15218622*
	BU6006 CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	Weight : 3,730 kg / 8.223 lb Material Type : Sheet Metal	15176606, 15218621
	BU6006J CONTROL ARM (WITHOUT BALL JOINT) FRONT LOWER LH	Weight : 2,980 kg / 6.570 lb Material Type : Sheet Metal	15176606*, 15218621*
	CV12020 LEAF SPRING BUSHING	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,252 kg / 0.556 lb	10255029, 10294083 10393215, 10403698 10407903, 10412124 10412685

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

SKY
2007 - 2010

Image	Product Code and Description	Details	OEM
	CD4008 LINK STABILIZER REAR RH	Weight : 0,309 kg / 0.681 lb Material Type : Çelik Length : 82 mm / 3.23 inch	15840472, 15895320 25768312
	CD4009 LINK STABILIZER REAR LH	Weight : 0,309 kg / 0.681 lb Material Type : Çelik Length : 82 mm / 3.23 inch	15840471, 15895319 25768311

VUE
2002 - 2007

Image	Product Code and Description	Details	OEM
	CV1042 BALL JOINT FRONT LOWER	Weight : 0,625 kg / 1.378 lb	352068, 352801 88965333
	CV2027 TIE ROD END	Weight : 0,618 kg / 1.362 lb Length : 105,5 mm / 4.15 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,75 Ball Pin Cone Diameter : Ø12,2	15140337, 15220347 19149840, 22664783 22684863, 22729240 25937432, 25956927
	CV3041 AXIAL JOINT	Weight : 0,710 kg / 1.565 lb Length : 330 mm / 12.99 inch	15797215, 15896770
	CV4026 LINK STABILIZER FRONT RH	Weight : 0,395 kg / 0.871 lb Material Type : Aluminum Length : 294 mm / 11.57 inch Ball Pin Thread Size : M12X1,75	15141759, 15218267 22692235, 22692499
	CV4026A LINK STABILIZER FRONT RH	Weight : 0,395 kg / 0.871 lb Material Type : Çelik Length : 294 mm / 11.57 inch Ball Pin Thread Size : M12X1,75	15141759, 15218267 22692235, 22692499
	CV4027 LINK STABILIZER FRONT LH	Weight : 0,395 kg / 0.871 lb Material Type : Aluminum Length : 294 mm / 11.57 inch Ball Pin Thread Size : M12X1,75	1514170, 15141760 15218268, 21991666 22692236, 22692500
	CV4027A LINK STABILIZER FRONT LH	Weight : 0,395 kg / 0.871 lb Material Type : Çelik Length : 294 mm / 11.57 inch Ball Pin Thread Size : M12X1,75	1514170, 15141760 15218268, 21991666 22692236, 22692500
	CV4054 LINK STABILIZER REAR	Weight : 0,191 kg / 0.421 lb Material Type : Plastic Length : 69.6 mm / 2.74 inch	15791211, 22692175

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

VUE
2002 - 2007

Image	Product Code and Description	Details	OEM
	CV6023 CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	Weight : 4,95 kg / 10.913 lb Material Type : Sheet Metal	25878028
	CV6024 CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	Weight : 4,95 kg / 10.913 lb Material Type : Sheet Metal	25878029
	CV9001 TRACK CONTROL ARM REAR LOWER	Weight : 1,09 kg / 2.403 lb Material Type : Sheet Metal	22678193, 524058 LL90995, MS50165
	CV11002 BUSH FOR WISHBONE BIG	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,948 kg / 2.090 lb	20946159, 96809676 C96809676, C96819161* C96819162*

VUE
2008 - 2010

Image	Product Code and Description	Details	OEM
	CV1042 BALL JOINT FRONT LOWER	Weight : 0,625 kg / 1.378 lb	352068, 352801 88965333
	CV2015 TIE ROD END	Weight : 0,483 kg / 1.065 lb Length : 117 mm / 4.61 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,75 Ball Pin Cone Diameter : Ø13,1	19210064
	CV2027 TIE ROD END	Weight : 0,618 kg / 1.362 lb Length : 105,5 mm / 4.15 inch Body Thread Size : M14X1,5 Ball Pin Thread Size : M12X1,75 Ball Pin Cone Diameter : Ø12,2	15140337, 15220347 19149840, 22664783 22684863, 22729240 25937432, 25956927
	CV3015 AXIAL JOINT	Weight : 0,650 kg / 1.433 lb Length : 329 mm / 12.95 inch Body Thread Size : M16X1,5 Ball Pin Thread Size : M14X1,5	19149839, 4883078J00
	CV4016 LINK STABILIZER REAR	Weight : 0,18 kg / 0.397 lb Material Type : Plastic Length : 172,5 mm / 6.79 inch Ball Pin Thread Size : M10X1,5	15146379
	CV4028 LINK STABILIZER REAR	Weight : 0,184 kg / 0.406 lb Material Type : Plastic	15926031

* Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

VUE
2008 - 2010

Image	Product Code and Description	Details	OEM
	CV9001 TRACK CONTROL ARM REAR LOWER	Weight : 1,09 kg / 2.403 lb Material Type : Sheet Metal	22678193, 524058 LL90995, MS50165
	CV9018 CONTROL ARM REAR UPPER	Weight : 1,865 kg / 4.112 lb Material Type : Sheet Metal	15146375, 22842512 22945699, 46200-78J00 46200-78J01, 46200-78J10 96842685
	CV11002 BUSH FOR WISHBONE BIG	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,948 kg / 2.090 lb	20946159, 96809676 C96809676, C96819161* C96819162*
	CV11052 BUSH FOR CONTROL ARM REAR UPPER	Chassis (Front / Rear) : Rear Position : Upper Weight : 0,275 kg / 0.606 lb	15146375*, 22842512* 22945699*, 4620078J00* 4620078J01*, 4620078J10* 96842685*
	CV12060 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Weight : 1,355 kg / 2.987 lb	4806307, 4813836 96626330, 96863981
	CV12062 STRUT MOUNTING	Weight : 1,755 kg / 3.869 lb	15842946, 20839649 22807232, 41810-78J00 96842635
	CV12059 ENGINE MOUNTING	Weight : 2.618 kg / 5.772 lb	20831436, 20839836 22774205, 25786206



NOTES

Product Code	Additional Information
BU1001 BALL JOINT REAR UPPER	MOOG TYPE
BU2004 TIE ROD END REAR OUTER	AWD
BU20043004 TIE ROD ASSEMBLY	AWD / TIE ROD END = BU2004 / AXIAL JOINT = BU3004
BU3004 AXIAL JOINT REAR	AWD
BU6005 CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	FWD / CHEVROLET MONTANA YEARS ONLY: 2005-2009
BU6005J CONTROL ARM (WITHOUT BALL JOINT) FRONT LOWER RH	FWD / CHEVROLET MONTANA YEARS ONLY: 2005-2009
BU6006 CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	FWD / CHEVROLET MONTANA YEARS ONLY: 2005-2009
BU6006J CONTROL ARM (WITHOUT BALL JOINT) FRONT LOWER LH	FWD / CHEVROLET MONTANA YEARS ONLY: 2005-2009
CV1027 BALL JOINT FRONT LOWER	CHEVROLET HHR YEAR: 2008-2010
CV12062 STRUT MOUNTING	WITHOUT BEARING
CV2015 TIE ROD END	FOR POWER and HYRAULIC STEERING
CV3029 AXIAL JOINT	YEARS FOR CORVETTE: ONLY 1993-1996
CV3041 AXIAL JOINT	CHEVROLET EQUINOX YEARS ONLY: 2008-2009 and ONLY FOR LS, LT, LTZ / PONTIAC TORRENT YEARS ONLY: 2008-2009
CV4054 LINK STABILIZER REAR	CHEVROLET EQUINOX YEARS ONLY: 2005-2006
CV6025 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	WITHOUT BIG BUSH
CV6025K WISHBONE (WITH BALL JOINT AND BIG BUSH) FRONT LOWER RH	WITH BIG BUSH
CV6026 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	WITHOUT BIG BUSH

Product Code	Additional Information
CV6026K WISHBONE (WITH BALL JOINT AND BIG BUSH) FRONT LOWER LH	WITH BIG BUSH
CV6050 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	CHEVROLET HHR YEAR: 2008-2010
CV6050 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	CHEVROLET HHR YEAR: 2008-2010
CV6050J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER RH	CHEVROLET HHR YEAR: 2008-2010
CV6051 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	CHEVROLET HHR YEAR: 2008-2010
CV6051 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	CHEVROLET HHR YEAR: 2008-2010
CV6051J WISHBONE (WITHOUT BALL JOINT) FRONT LOWER LH	CHEVROLET HHR YEAR: 2008-2010
CV9004 CONTROL ARM REAR LOWER RH	WITH 4-WHEEL DISC
CV9005 CONTROL ARM REAR LOWER LH	WITH 4-WHEEL DISC
OP2014A TIE ROD END	*T STEERING
OP2015 TIE ROD END RH	*T STEERING
OP2016 TIE ROD END LH	*T STEERING
OP3011 AXIAL JOINT	Z STEERING TYPE / ONLY: SPORT SUSPENSION / 18" and 19" WHEEL DRIVE
OP4006 LINK STABILIZER FRONT	ONLY: IDS SUSPENSION SYSTEM