# STEERING & SUSPENSION MANUFACTURER



# **SMART PRODUCT**

**CATALOG** 



### **Products**

Bush

Mounting

- **Ball Joint**
- Tie Rod End
- Axial Joint
- Link Stabilizer
- Control Arm
- Center Rod
- Streering Bellow

Tie Rod Assembly

Suspension Kit

Axle Bellow Stabilizer Mounting





















#### **About Us**

RIW is an organization that produces high quality suspension and steering parts for passenger cars and light commercial vehicles in the automotive aftermarket industry. RIW aims to improve the automotive industry and benefit the country's economy with the target of safely using the vehicle by the end user. As one of the widest range steering and suspension parts manufacturer in the world, production and assembling facilities of RIW contains operations of the following product lines in steering and suspension group for the aftermarket; ball joint, tie rod end, axial joint (inner tie rod), tie rod assembly, link stabilizer, center rot, control arm, wishbone, bush, mount and rubber products. As a result of wide product range, high product quality, reasonable price and customer-focused studies, RIW takes the first place among the largest spare parts company in Turkey. Through execution of Research and Development in the production of the steering and suspension parts of passenger cars and light commercial vehicles, and at the most advanced and technological conditions, RIW is Turkey's most modern spare parts manufacturer.

The culture of the company takes product quality, technological development and customer satisfaction as the priority; therefore Automotive Aftermarket Industry use RIW brand product with confident. By taking advantage of latest technology machining's in its modern production facility, and also taking employee safety as the main principle in the every stage of the production; from design to production, production to quality, packaging to delivery, marketing to sales RIW has succeeded to be a respectable brand in more than 60 countries worldwide.

#### Mission

Providing the latest developed item to the market in high quality as the first in the aftermarket and improving product quality in the every part of the World.

#### Vision

Spreading the "RIW Standards" which is made by advanced technology and aftermarket experiences to benefit the whole world.

#### **Production Strategy**

RIW engineers control every stage of the production processes such as product design, mold design, machining, hot and cold forging, aluminum forging, vertical and horizontal arm milling machining, control arm manufacturing, welding, painting, coating and packaging, in its facilities separately. RIW accepts each stage of production as a different unit and advocates the idea that in order to provide the fastest and highest quality product each unit should act as a separate process during its planning for assembling and production. Hence, in this competitive market conditions where it is difficult to reach large capital numbers, RIW invests in the direction of quality control and development.

In contrast to the mindset that every single step in the production is under one roof, RIW ensures that the raw materials and semi-finished products are continuously inspected by experienced engineers and always keeps its quality under control in each stage of the production process. With this system, thanks to the latest technology machinery and test equipment used to apply quality testing at every stage, RIW always offers 100% controlled products to its customers and both minimizes the risk of error to zero and aims to offer competitive prices to the customers by decreasing the product costs.

#### **Total Quality**

RIW that aspires total quality approach has constantly increased its production capacity upon investments and quality works made and has become a preferred brand in the world aftermarket. Acting with the awareness of being a manufacturer of safety components, RIW actively exports its high-quality products too many countries located in Europe, North Africa, Middle East, Australia, North and South America.

At all stages from the start to the end of production, RIW closely monitors and checks the quality of its products and ensures that reliable and high quality products are offered to its customers. All tests and procedures are carried out by highly experienced RIW engineers until they find the right quality to develop the aftermarket industry.





**Brand** 

- The codes which has 6 characters are suspension parts (Additional codes are exceptional)
- The codes which has 7 characters are rubber parts (Additional codes are exceptional)
- There is no any specific code for Rod Assembly.
- Rod Assembly codes are the combine of Tie Rod End and Axial Joint.
- Same parts which are used at the different cars might have the same code.

## **PE 6** 001 **J**

AC	ACURA	DC	DACIA	IS	ISUZU	LE	LEYLAND	PE	PEUGEOT	SM	SMART
AF	ALFA ROMEO	DW	DAEWOO	IV	IVECO	LC	LINCOLN	РО	PORSCHE	SY	SSANGYONG
AU	AUDI	DH	DAIHATSU	JG	JAGUAR	LO	LOTUS	PR	PROTON	SU	SUBARU
BW	BMW	DO	DODGE	JP	JEEP	MZ	MAZDA	RE	RENAULT	SZ	SUZUKI
BU	BUICK	FI	FIAT	KI	KIA	ME	MERCEDES	RR	ROLLS-ROYCE	то	TOYOTA
CD	CADILLAC	FO	FORD	LD	LADA	MC	MINI COOPER	RO	ROVER	VA	VAUXHALL
CV	CHEVROLET	HN	HONDA	LR	LAND ROVER	MI	MITSUBISHI	SA	SAAB	vw	VOLKSWAGEN
CY	CHRYSLER	HY	HYUNDAI	LV	LDV	NS	NISSAN	SE	SEAT	vo	VOLVO
CI	CITROËN	IK	IKCO	LX	LEXUS	OP	OPEL	SK	SKODA		

#### **Product Group**

- 1 BALL JOINT
- 2 TIE ROD END
- 3 AXIAL JOINT (INNER TIE ROD)
- 4 LINK STABILIZER
- CONTROL ARM
- 6 WISHBONE

- 7 CENTER ROD & DRAG LINK
- 8 SUSPENSION KITS
- 9 REAR WISHBONE AND CONTROL ARM 128 MOUNTING or RUBBER SUPPORT KIT
- 10 BUSH
- 11 BUSH
- 118 REPAIR & BUSH KIT

- 23 TIE ROD ASSEMBLY
- **12** MOUNTING & RUBBER SUPPORT
- 13 BELLOW STEERING
- **14** BELLOW DRIVE SHAFT

#### Numbers



Any Number

#### **Option**

PE6001

#### **ADDITIONALS CODES AND MEANINGS**

#### K FOR BALL JOINTS

VW1012K 1 = BALL JOINT K = WITH EXTRA ACCESSORIES

VW1012 1 = BALL JOINT

#### J FOR WISHBONES

PE6001J 6 = WISHBONE J = WITHOUT BALL JOINT

6 = WISHBONE (The similar as the OE part)

K FOR WISHBONES or CONTROL ARMS (5,6 or 9)

BW6005K 6 = WISHBONE K = WITH EXTRA ACCESSORIES

BW6005 6 = WISHBONE

#### **B FOR WISHBONE and CONTROL ARMS** В

BW5005B 5 = CONTROL ARM B = WITHOUT BUSHING

BW5005 5 = CONTROL ARM (The similar as OE part)

K FOR MOUNTINGS (RUBBER PARTS)

CV12005K 12 = MOUNTING K = KIT, 2 PIECES or WITH EXTRA ACCESSORIES

CV12005 12 = MOUNTING (The similar as OE part)

#### THE PRODUCT HAS DIFFERENT OPTION

FO4030A 4 = LINK STABILIZER A= OPTION (metal, rubber), plastic etc)

FO4030 4 = LINK STABILIZER (The similar as OE part)





CITY COUPE MC01 1998 - 2004

Image	Product Code and Description	Details	OEM
	SM1001  BALL JOINT FRONT LOWER	Weight: 0,315 kg / 0.694 lb Cone Size [mm]: Ø12,9 Connection Hole Diameter: Ø10,5 Ball Pin Thread Size: M12X1,5	0002271V007000005, 14224V001000000 15642V001, 15642V001000000 2271V007000005, C0002271V009000000
	SM1002 BALL JOINT FRONT LOWER	Weight: 0,225 kg / 0.496 lb	4513300010S
•	SM3002 AXIAL JOINT	Weight: 0,616 kg / 1.358 lb Length: 376,5 mm / 14.82 inch Body Thread Size: M14X1,5 Ball Pin Thread Size: M12X1,5	4514600051*
<b>-</b>	SM4001 LINK STABILIZER REAR	Weight: 0,189 kg / 0.417 lb Material Type: Çelik Length: 149 mm / 5.87 inch Ball Pin Thread Size: M10X1,5	0001802V004000000, 1802V004000000 580431073
-40	SM4002 LINK STABILIZER REAR	Weight: 0,322 kg / 0.710 lb Material Type: Çelik Length: 93,5 mm / 3.68 inch Ball Pin Thread Size: M10X1,5	0005102V004000000, 5102V005 Q005102V00500000
A	SM6001 WISHBONE (WITHOUT BALL JOINT) FRONT LOWER	Weight : 2,131 kg / 4.698 lb Material Type : Sheet Metal	0007001V007000000, 0014141V001000 0014141V001000000, 0014141V002 14141V001, 14141V001000000
	SM6006 WISHBONE (WITH BALL JOINT) FRONT LOWER	Weight : 2,185 kg / 4.817 lb Material Type : Sheet Metal	14141V002, 7001V004 7001V006, 7001V006000000 A4513300010, Q0014141V002000000
	SM9002 CONTROL ARM REAR	Weight: 0,845 kg / 1.863 lb Material Type: Sheet Metal	1765V005, 1765V005000000 5102V005
6	SM11003  BUSH FOR TRACK CONTROL ARM LOWER CENTER	Position: Lower Center Left And Right Weight: 0,167 kg / 0.368 lb	14141V00200000*
•	SM11004 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.103 kg / 0.227 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000
•	SM11005 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.1 kg / 0.220 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



FORFOUR		453	2015 -
Image	Product Code and Description	Details	OEM
	SM2003 TIE ROD END RH	Weight: 0,358 kg / 0.789 lb Length: 90 mm / 3.54 inch	45333-07000
	SM2004 TIE ROD END LH	Weight: 0,358 kg / 0.789 lb Length: 90 mm / 3.54 inch	45333-07100
	SM12002 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Weight : 0,350 kg / 0.772 lb Note : RULMANSIZ	4533200173, 543020218R A4533200173

FORFOUR		454	2004 - 2006
Image	Product Code and Description	Details	OEM
8	MI1014 BALL JOINT FRONT LOWER	Weight: 0,325 kg / 0.717 lb Cone Size [mm]: Ø14,6 Ball Pin Thread Size: M12X1,5 Ball Joint Body Diameter: Ø39,8	4013A135-P, 4543300807-P MN186218-P
	MI2020 TIE ROD END	Weight: 0,3 kg / 0.661 lb Length: 72 mm / 2.83 inch Body Thread Size: M12X1,25 Ball Pin Thread Size: M10X1,5 Ball Pin Cone Diameter: Ø12,5	, 4544600205 A4544600205, MR977606
÷ 1	MI4020 LINK STABILIZER FRONT	Weight: 0,325 kg / 0.717 lb Material Type: Çelik Length: 325,5 mm / 12.81 inch Ball Pin Thread Size: M10X1,5	4543200010, A4543200010 MR961477
	MI6021 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Weight: 2,85 kg / 6.283 lb Material Type: Sheet Metal	4013A150, 4543300707 4543300807, MN186217 MN186218
	MI6022 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Weight: 2,85 kg / 6.283 lb Material Type: Sheet Metal	4013A135, 4543300707 4543300807, MN186217 MN186218
	MI11007 BUSH FOR WISHBONE REAR BIG	Position: Left And Right Weight: 0.32 kg / 0.705 lb	MN184133, MR403441
	MI11008 BUSH FOR WISHBONE BIG	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0.32 kg / 0.705 lb	4543300807-P, MN125871-P MN186217-P, MN186218-P

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



FORFOUR 454 2004 - 2006

Image	Product Code and Description	Details	OEM
0	MI11009 BUSH FOR WISHBONE CENTER	Position : Center Left And Right Weight : 0.2 kg / 0.441 lb	4543300807-P, MN125871-P MN186217-P, MN186218-P

FORTWO		450	2004 - 2006
Image	Product Code and Description	Details	OEM
	SM1001 BALL JOINT FRONT LOWER	Weight: 0,315 kg / 0.694 lb Cone Size [mm]: Ø12,9 Connection Hole Diameter: Ø10,5 Ball Pin Thread Size: M12X1,5	0002271V007000005, 14224V001000000 15642V001, 15642V001000000 2271V007000005, C0002271V009000000
	SM2001 TIE ROD END	Weight: 0,395 kg / 0.871 lb	A4513380137
	SM2002 TIE ROD END	Weight : 0.25 kg / 0.551 lb	4887V004, 4887V004000000 4887V005, 4887V005000000 4887V006, 4887V0060000
•	SM3001 AXIAL JOINT	Weight: 0,647 kg / 1.426 lb Length: 357 mm / 14.06 inch Body Thread Size: M14X1,5 Ball Pin Thread Size: M14X1,5	4684V006000000-P
-	SM4001 LINK STABILIZER REAR	Weight: 0,189 kg / 0.417 lb Material Type: Çelik Length: 149 mm / 5.87 inch Ball Pin Thread Size: M10X1,5	0001802V004000000, 1802V004000000 580431073
A	SM6001 WISHBONE (WITHOUT BALL JOINT) FRONT LOWER	Weight : 2,131 kg / 4.698 lb Material Type : Sheet Metal	0007001V007000000, 0014141V001000 0014141V001000000, 0014141V002 14141V001, 14141V001000000
i ce	SM6002 WISHBONE (WITH BALL JOINT) FRONT LOWER RH	Material Type : Sheet Metal	7001V006, 7001V006000000 4879V003
	SM6003 WISHBONE (WITH BALL JOINT) FRONT LOWER LH	Material Type : Sheet Metal	4880V003
	SM6004 CONTROL ARM FRONT RH	Weight : 1,3 kg / 2.866 lb Material Type : Sheet Metal	8608V004

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



FORTWO 450 2004 - 2006

Image	Product Code and Description	Details	OEM
	SM6005 CONTROL ARM FRONT LH	Weight : 1,3 kg / 2.866 lb Material Type : Sheet Metal	8609V004
	SM9001 CONTROL ARM REAR	Weight : 1,891 kg / 4.169 lb Material Type : Sheet Metal	2087V022
	SM9002 CONTROL ARM REAR	Weight: 0,845 kg / 1.863 lb Material Type: Sheet Metal	1765V005, 1765V005000000 5102V005
0	SM11003  BUSH FOR TRACK CONTROL ARM LOWER CENTER	Position: Lower Center Left And Right Weight: 0,167 kg / 0.368 lb	14141V00200000*
	SM11004 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.103 kg / 0.227 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000
•	SM11005 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.1 kg / 0.220 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000
9	SM12001 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,160 kg / 0.353 lb	0008236V003, 0008236V004 4513220028, 8236V003 8236V004

FORTWO		2007 - 2014		
Image	Product Code and Description	Details	OEM	
	SM1002 BALL JOINT FRONT LOWER	Weight: 0,225 kg / 0.496 lb	4513300010S	
	SM2001 TIE ROD END	Weight: 0,395 kg / 0.871 lb	A4513380137	
	SM3002 AXIAL JOINT	Weight: 0,616 kg / 1.358 lb Length: 376,5 mm / 14.82 inch Body Thread Size: M14X1,5 Ball Pin Thread Size: M12X1,5	4514600051*	

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



#### FORTWO 451 2007 - 2014

Image	Product Code and Description	Details	ОЕМ
<b>-</b>	SM4003 LINK STABILIZER FRONT RH	Weight: 0,247 kg / 0.545 lb Material Type: Çelik Length: 227 mm / 8.94 inch	A4513200089
÷	SM4004 LINK STABILIZER FRONT LH	Weight: 0,247 kg / 0.545 lb Material Type: Çelik Length: 227 mm / 8.94 inch	A4513200189
	SM6006 WISHBONE (WITH BALL JOINT) FRONT LOWER	Weight: 2,185 kg / 4.817 lb Material Type: Sheet Metal	A4513300010, Q0014141V002000000
	SM9003 CONTROL ARM REAR	Weight: 1,222 kg / 2.694 lb Material Type: Sheet Metal	A4513500129
Ü	SM11001 BUSH FOR WISHBONE REAR BIG	Chassis (Front / Rear) : Rear Position : Left And Right Weight : 0.122 kg / 0.269 lb	A4513500129-P
	SM11002 BUSH FOR WISHBONE REAR SMALL	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0.17 kg / 0.375 lb	A4513500129-P
	SM12003 STABILISER MOUNTING	Chassis (Front / Rear) : Front Weight : 0,029 kg / 0.064 lb	4513230085, 4513230185 A4513230085, A4513230185
	SM12003K STABILISER MOUNTING KIT	Chassis (Front / Rear) : Front Weight : 0,058 kg / 0.128 lb	4513230085, 4513230185 A4513230085, A4513230185
•	SM12001 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,160 kg / 0.353 lb	0008236V003, 0008236V004 4513220028, 8236V003 8236V004

FORTWO	453	2015 -

Image	Product Code and Description	Details	OEM
	RN1037 BALL JOINT FRONT LOWER	Weight: 0,27 kg / 0.595 lb Ball Joint Body Diameter: Ø38,7	4533302900*, 545004529R* 545010294R*, 545041327R* 545055708R*

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



FORTWO 453 2015 -

Image	Product Code and Description	Details	OEM
	SM2003 TIE ROD END RH	Weight: 0,358 kg / 0.789 lb Length: 90 mm / 3.54 inch	45333-07000
	SM2004 TIE ROD END LH	Weight: 0,358 kg / 0.789 lb Length: 90 mm / 3.54 inch	45333-07100
	SM3003 AXIAL JOINT	Weight: 0,654 kg / 1.442 lb Length: 392,5 mm / 15.45 inch	Part of 4534630000, Part of 485215653R
1	SM4005 LINK STABILIZER FRONT	Weight: 0,296 kg / 0.653 lb Material Type: Çelik Length: 202 mm / 7.95 inch Ball Pin Thread Size: M10X1,5	4533200089, 546181179R A4533200089
	SM6007  CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	Weight: 2,235 kg / 4.927 lb Material Type: Sheet Metal	4533303000, 545047654R
-1	SM6008  CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	Weight: 2,235 kg / 4.927 lb Material Type: Sheet Metal	4533302900, 545051097R
	SM6009  CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	Weight: 2,731 kg / 6.021 lb Material Type: Sheet Metal	4533303200, 545048628R
	SM6010  CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	Weight: 2,235 kg / 4.927 lb Material Type: Sheet Metal	4533303100, 545057345R
	SM9004 CONTROL ARM REAR	Weight : 1,510 kg / 3.329 lb Material Type : Sheet Metal	4533506700, 555C35270R
	SM11006  BUSH LONG FOR CONTROL ARM FRONT LOWER	Chassis (Front / Rear) : Front Position : Alt Uzun Weight : 0,165 kg / 0.364 lb Note : 16"WHEEL / LONG	4533302900*, 4533303000* 4533303100*, 4533303200* 545047654R*, 545048628R* 545051097R*, 545057345R*
	SM11007  BUSH SHORT FOR CONTROL ARM FRONT LOWER	Chassis (Front / Rear) : Front Position : Lower Short Weight : 0,190 kg / 0.419 lb Note : 16"WHEEL / SHORT	4533302900*, 4533303000* 4533303100*, 4533303200* 545047654R*, 545048628R* 545051097R*, 545057345R*

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.

10



#### FORTWO 453 2015 -

Image	Product Code and Description	Details	OEM
•	SM11008 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Weight : 0,080 kg / 0.176 lb	4533506700*, 555C35270R*
	SM11009  BUSH OUTER FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Outer Weight : 0,085 kg / 0.187 lb	4533506700, 7700542611* 7700654178*, 7700654179* 7701348037*
	SM12002 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Weight : 0,350 kg / 0.772 lb Note : RULMANSIZ	4533200173, 543020218R A4533200173

ROADSTER		452	2003 - 2005
Image	Product Code and Description	Details	OEM
	SM1002 BALL JOINT FRONT LOWER	Weight: 0,225 kg / 0.496 lb	4513300010S
	SM2002 TIE ROD END	Weight: 0.25 kg / 0.551 lb	4887V004, 4887V00400000 4887V005, 4887V00500000 4887V006, 4887V0060000
	SM3002 AXIAL JOINT	Weight: 0,616 kg / 1.358 lb Length: 376,5 mm / 14.82 inch Body Thread Size: M14X1,5 Ball Pin Thread Size: M12X1,5	4514600051*
<b>-</b>	SM4001 LINK STABILIZER REAR	Weight: 0,189 kg / 0.417 lb Material Type: Çelik Length: 149 mm / 5.87 inch Ball Pin Thread Size: M10X1,5	0001802V004000000, 1802V004000000 580431073
<b>-4</b> :− <del>\$</del>	SM4002 LINK STABILIZER REAR	Weight: 0,322 kg / 0.710 lb Material Type: Çelik Length: 93,5 mm / 3.68 inch Ball Pin Thread Size: M10X1,5	0005102V004000000, 5102V005 Q005102V00500000
A	SM6001 WISHBONE (WITHOUT BALL JOINT) FRONT LOWER	Weight : 2,131 kg / 4.698 lb Material Type : Sheet Metal	0007001V007000000, 0014141V001000 0014141V001000000, 0014141V002 14141V001, 14141V001000000
	SM6006 WISHBONE (WITH BALL JOINT) FRONT LOWER	Weight: 2,185 kg / 4.817 lb Material Type: Sheet Metal	A4513300010, Q0014141V002000000

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



ROADSTER 452 2003 - 2005

Image	Product Code and Description	Details	OEM
	SM9002 CONTROL ARM REAR	Weight: 0,845 kg / 1.863 lb Material Type: Sheet Metal	1765V005, 1765V005000000 5102V005
6	SM11003  BUSH FOR TRACK CONTROL ARM LOWER CENTER	Position : Lower Center Left And Right Weight : 0,167 kg / 0.368 lb	14141V00200000*
•	SM11004 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.103 kg / 0.227 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000
•	SM11005 BUSH FOR CONTROL ARM REAR	Chassis (Front / Rear) : Rear Position : Rear Weight : 0.1 kg / 0.220 lb	1765V005, 1765V005000000 Q1765V005, Q1765V005000000
•	SM12001 STRUT MOUNTING FRONT	Chassis (Front / Rear) : Front Position : Left And Right Weight : 0,160 kg / 0.353 lb	0008236V003, 0008236V004 4513220028, 8236V003 8236V004

<sup>\*</sup> Name of all vehicles, brands, models, symbols and logos, OE numbers and other third party numbers in this website and catalog are used for reference purposes only.



# **NOTES**



Product Code	Additional Information
SM11006  BUSH LONG FOR CONTROL ARM FRONT LOWER	16'WHEEL / LONG
SM11007  BUSH SHORT FOR CONTROL ARM FRONT LOWER	16'WHEEL / SHORT
SM12002 STRUT MOUNTING FRONT	WITHOUT BEARING
SM12003 STABILISER MOUNTING	INTERNAL DIAMETER = Ø19mm
SM12003K STABILISER MOUNTING KIT	2 PIECES IN 1 BOX / INTERNAL DIAMETER = Ø19mm
SM6007  CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	STANDARD VERSION
SM6008  CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	STANDARD VERSION
SM6009  CONTROL ARM (WITH BALL JOINT) FRONT LOWER RH	FOR 16'WHEEL
SM6010  CONTROL ARM (WITH BALL JOINT) FRONT LOWER LH	FOR 16'WHEEL